

**MEGA**LITE®

# LUPA-7



## **Product Description:**

The Lupa-7 is equipped with 7 60W LEDs with individual beam effects allowing the user a wide range of potential looks. Including 28 X .5W pixel mappable LEDs that add ambiance to any lighting experience. With rotating lenses that expand the amazing possibilities for looks you can achieve this fixture is packed full of features.

### **7 60W LEDS**

Equipped with seven 60W LEDs the lupa-7 floods your stage with vibrant colors, ensuring a visually captivating experience.

### **PIXEL MAPPABLE BACK LEDS**

Pixel mappable back LED's add depth and ambiance to your show with eye catching video playback and macros.

### **LENS ROTATION**

Take control with dynamic lens rotation, directing beams of light to create sweeping effects tailored to your performance.

## Mechanical Specifications

---

Housing:	Die-cast Aluminum
Mounting System:	2 Quick Release Clamp Mounts
Power Connection:	Seetronics SAC3FPX Input & SAC3MPX output (Nema 5-15 to SAC3FX-67 cable included)
Signal Connection:	5 Pin XLR In and Out (IP Rated)
Zoom Angle:	3° to 32°

## Electrical Specifications

---

Light Source:	7 X 60W RGBW 28 X .5W RGB
Color Temperature:	9090K
CRI (Warm White):	75 @ full
Lumen Output:	3207Lm
Power Supply:	Electronic 100-240V AC 50/60
Power Consumption:	512 Watts 4.4 Amps @110V

## Control System

---

Control Protocols:	DMX 512, Artnet, sACN, RDM
RDM:	Yes
Channel Modes:	27 Channel Mode 139 Channel Mode 134 Channel Mode
Display:	Digital


## Main Power Connection

---

DMX-512:	Yes
----------	-----

## Size and Weight

---



Fixture Size:

12.5" X 9.5" X 17.25"

Fixture Weight:

29lb

Packaged Size:

16.4" X 13.9" X 24.61"

Packaged Weight:

35.27lb

## Photometrics

---

Lumens @ Full Output (Narrow):

2,700

Efficacy:

6 lm/W

Lumens @ Full Output (Wide):

3,207

Efficacy:

7 lm/W

Red Emitter Peak Wavelength:

636 nm

Green Emitter Peak Wavelength:

522 nm

Blue Emitter Peak Wavelength:

449 nm


White Emitter Peak Wavelength:

447 nm

Nominal Beam Angle:

3°

# Color Rendering



## Included Items

Lupa-7 1315  
Power Cable  
2pc Quick Release Clamp Mount

## Customer Service

MEGA-Lite has a customer support line to provide set-up help and answer any questions should you encounter a problem. Please visit our website for any other related technical documents. For service-related issues, please contact our service department at [service@mega.lighting](mailto:service@mega.lighting)

Operating Hours: Monday - Friday 9AM - 6PM CST  
Phone: (210) 684-2600  
Email: [Sales@mega.lighting](mailto:Sales@mega.lighting)



18662 Bandera Rd  
Helotes, TX 78023  
Phone (210)684-2600 / Fax (210)855-6279  
[www.mega.lighting](http://www.mega.lighting) / [info@mega.lighting](mailto:info@mega.lighting)