

Mike Wood Consulting LLC

6401 Clairmont Drive, Austin, TX 78749

Phone: (512) 288-4916

Cell: (512) 656-6377

www.mikewoodconsulting.com

Megalite Outshine T54 - 7221

January 8, 2015

Electrical

Voltage: 120 V AC, 60 Hz

Power: 56 W

VA: 98 VA

Current: 0.8 A



PF: 0.57

Output in full output white (all emitters at full)

Lens	Lumens at full output	Efficacy
As fitted	2032 lm	36 lm/W

Standard Lens

Lumens at full output with standard Lens: 2032 lm



Standard Lens

Zonal Lumen Summary

Zone	Lumens
0° - 15°	1423
0° - 30°	1932
0° - 45°	2032
0° - 60°	2032
0° - 90°	2032
0° - 180°	2032

Candela Distribution:

0.0°	15957	22.0°	753
1.0°	15714	23.0°	672
2.0°	15147	24.0°	567
3.0°	14418	25.0°	494
4.0°	13041	26.0°	429
5.0°	11826	27.0°	381
6.0°	10773	28.0°	348
7.0°	9234	29.0°	308
8.0°	8181	30.0°	278
9.0°	7047	31.0°	211
10.0°	5751	32.0°	194
11.0°	5103	33.0°	178
12.0°	4050	34.0°	162
13.0°	3483	35.0°	154
14.0°	2916	36.0°	146
15.0°	2430	37.0°	138
16.0°	2025	38.0°	130
17.0°	1782	39.0°	122
18.0°	1458	40.0°	113
19.0°	1215	41.0°	0
20.0°	972	90.0°	0
21.0°	810		