

Mike Wood Consulting LLC

3705 Ebony Hollow Pass, Austin, TX 78739

Phone: (512) 288-4916

Cell: (512) 656-6377

www.mikewoodconsulting.com

Megalite EB1

January 16, 2023

Electrical

Voltage: 120 V AC, 60 Hz

Power: 226 W

VA: 226 VA

Current: 1.83 A

PF: 1.0

Output at full

	Lumens at full output	Efficacy
Standard	3963	18 lm/W

Color Rendering

CCT: 8313 K


Duv: -0.0011

CRI (Ra): 71



TM-30 Rf: 70

TM-30 Rg: 95

Spectrum







Color Rendering



Full Output All Emitters - Standard

Lumens at full output: 3963 lm



Zonal Lumen Summary

Zone	Lumens
0° - 15°	3963
0° - 30°	0
0° - 45°	0
0° - 60°	0
0° - 90°	0
0° - 180°	0

Candela Distribution:

0.0°	4437600	31.0°	0	62.0°	0
0.3°	4230512	32.0°	0	63.0°	0
0.5°	4053008	33.0°	0	64.0°	0
0.8°	3993840	34.0°	0	65.0°	0
1.0°	101473	35.0°	0	66.0°	0
1.3°	0	36.0°	0	67.0°	0
6.0°	0	37.0°	0	68.0°	0
7.0°	0	38.0°	0	69.0°	0
8.0°	0	39.0°	0	70.0°	0
9.0°	0	40.0°	0	71.0°	0
10.0°	0	41.0°	0	72.0°	0
11.0°	0	42.0°	0	73.0°	0
12.0°	0	43.0°	0	74.0°	0
13.0°	0	44.0°	0	75.0°	0
14.0°	0	45.0°	0	76.0°	0
15.0°	0	46.0°	0	77.0°	0
16.0°	0	47.0°	0	78.0°	0
17.0°	0	48.0°	0	79.0°	0
18.0°	0	49.0°	0	80.0°	0
19.0°	0	50.0°	0	81.0°	0
20.0°	0	51.0°	0	82.0°	0
21.0°	0	52.0°	0	83.0°	0
22.0°	0	53.0°	0	84.0°	0
23.0°	0	54.0°	0	85.0°	0
24.0°	0	55.0°	0	86.0°	0
25.0°	0	56.0°	0	87.0°	0
26.0°	0	57.0°	0	88.0°	0
27.0°	0	58.0°	0	89.0°	0
28.0°	0	59.0°	0	90.0°	0
29.0°	0	60.0°	0		
30.0°	0	61.0°	0		