



DES CRIP TION

The Piccolo Blinder is small but mighty. This unit features a single source 120 Watt LED engine that produces a bright 3000K Color Temp blinder effect. It is also IP 65 rated and can be used outdoors.

Its compact size allows for easy positioning, making it great when multiple units need to be arrayed or placed between lights where traditional blinders are not easily placed.

The Piccolo can also be grouped using a dual mount or a 4 unit mount accessory to create a regular blinder effect in small rooms.



Features.



Small but mighty.

MEGA

PICCOLO BLINDER

Specifications.

Source

LAMP:	120W Warm White LED
LED WATT:	120
COLOR TYPE:	Warm White

Control & Programming

DISPLAY: PROTOCOL: DMX CHANNELS: LCD DISPLAY DMX 512 3 CHANNEL MODE

Rigging:

INSTALLATION SYSTEM: QUICK RELEASE CLAMP MOUNT

Electrical & Connections

POWER CONNECTION:	SEETRONIC IP CONNECTION IN/OUT
DMX CONNECTORS:	SEETRONICS IP 65 XLR 3 PIM IN/OUT
POWER SUPPLY:	ELECTRONIC 100-240V AC 50/60HZ
POWER CONSUMPTION:	.1.41 Amps / 108 Watts

Dimensions:

FIXTURE SIZE: FIXTURE WEIGHT: PACKAGED SIZE: PACKAGED WEIGHT:	7.6" X 4.7" X 9.5" 7.5 lb 15" X 8" X 12" 9 lb
PACKAGED WEIGHT:	310





18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting

mega.lighting