

# COLORLITE Q120



COLORLITE Q120



# DESCRIPTION



With an IP65 rugged housing, this unit is the ideal lighting solution for indoor and outdoor applications. Featuring a 120W RGBW COB LED, it can create rich saturated colors that add a fascinating attribute to any utilization.

Between the RGBW and WW 90+ High CRI, this innovative unit allow users to create true warm white, amber and bold color combinations, eliminating the need for gel replacements. The Colorlite Q120 provides designers with smooth transitional hues and the ability to seamlessly alter any setting including theater, architectural, house of worship and even house lighting.

# Features.



## COLORFUL

The smooth RGBW color mixing allows for various color combinations.



## HIGH-CRI

Featuring a 90+ CRI on WW mixed with the RGBW, create true warm white, amber, and bold color combinations. No need for gel replacements.



## VARIOUS APPLICATIONS

Equipped with a silent operation perfect for indoor use.



MEGA LITE™

**This unit is the ideal  
lighting solution  
for indoor and outdoor  
applications.**

MEGA LITE™

# Specifications.

## Source:

Light Source: 120W COB RGBWW LED

## Effects:

CRI: 90 ON WARM WHITE  
CCT: 2831K ON WARM WHITE

## Control & Programing:

Display: DIGITAL  
Protocol: DMX 512  
DMX Channels: 5 MODES OF OPERATION  
Operating Mode: STAND ALONE 255 STEP DIMMER SETTING VIA DISPLAY.  
Pendant Mount: TREADED 1/2 INCH FEMALE, EYE-HOOK  
Ballast: ELECTRONIC

## Rigging:

Installation System: DUAL MOUNTING YOKE

## Electrical & Connections:

Power Connection: PANEL MOUNT NEUTRIK TRUE POWER IN/OUT CONNECTION  
DMX Connectors: CABLE MOUNTED IP67 5-PIN XLR CONNECTORS IN/OUT  
Power Supply: AUTO SWITCH 100V-240V 50/60HZ  
Power Consumption: UNIVERSAL 100-240V 50/60 H

## Dimensions:

Fixture Size: 12.25" X 8.25" X 13.62"  
Fixture Weight: 14 lb (6.35 kg)  
Packaged Size: 13.5" X 10.75" X 17"  
Packaged Weight: 17 lb (7.71 kg)

**MEGA**LITE®

[WWW.MEGA.LIGHTING](http://WWW.MEGA.LIGHTING)

18662 Bandera Rd  
Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279  
[info@mega.lighting](mailto:info@mega.lighting)

m e g a . l i g h t i n g