Linebourge Q480



DES CRIP TION

Create an unforgettable show with the Linebot Q480. Powered by 12 40-Watt RGBW LEDs, this bot can be used to create desired effects for a variety of applications. Featuring a broad spectrum of colors, it can produce pastel to saturated color combinations. Combined with the 12 individual pixel mapping control, the Linebot Q480 was designed to spread creativity in linear lighting.

The high output LEDs can be used to produce aerial effects or highlight performers and objects on or off stage. With a 3° to 54° zoom range, the unit offers two zoom sections for greater control. It gives the incredible ability to create piercing narrow angles that can form a harmonious curtain of light effect or wide angle wash.

The motorized 210° tilt is further enhanced with the 16 bit movement, for a seamless tilt rotation. It can be grounded or mounted using the included dual quick-release clamps. The removable side alignment guides allow multiple units to be daisy chained efficiently. Take your show to the next level with the Linebot Q480.

Features.



PIXEL CONTROL

The wide range of color mixing and beam effects can be enhanced with the individual pixel control of each RGBW LED.



TILT & ZOOM

With a 3° to 54° zoom range, the unit offers two zoom sections for greater control. The motorized 210° tilt is further enhanced with the 16 bit movement, for a seamless tilt rotation.



VERY BRIGHT

Equipped with 12 powerful 40-Watt RGBW LEDs to produce bright, colorful aerial effects or highlight performers and objects on or off stage.

Create an unforgettable show

15556

Specifications.

Source:

Light Source:

40-Watt RGBW

Optical System:

Zoom Range:

7° - 31°

Effects:

Colors:	Red, Green, Blue, White
Pixel Control:	Individual Pixel Control of Each LED
Zoom Control:	2 Independent Zoom Sections
Strobe:	Electronic Strobe Effect With Variable Speed

Control & Programing:

Display:	Digital
Protocol:	DMX 512
DMX CHannels:	2 Modes of Operation
On Board Features:	Pre-Programmed Macros & Chase Effects at
	Variable Speeds.

Movement:

Tilt: 210° 16 Bit

Electrical & Connections:

Power Consumption:	Watts: 590W Amps: 5.04A
DMX Connectors:	5-pin XLR In/Out
Power Connections:	Seetronic Type Power In/Out

Dimensions:

Fixture Size:	40.15" X 5.12" X 11.75"
Fixture Weight:	38.3 lb
Packaged Size:	41.5" X 7.25" X 13.5"
Packaged Weight:	39.5 lb



18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting

mega.lighting