


outshine^{*}T54





DES CRIP TION

The Outshine T54 is an ETL listed and very powerful color changing par fixture for outdoor use. The unit has 18 3-watt ti-RGB LEDs and is IP rated 65. It has 3 modes of operation, 4 dimming modes and is flicker free.

It features silent operation, making it an ideal unit for indoor use as well. Production friendly, the Outshine T54 fits in most 12" truss and is lightweight. Ground stand or hang this unit via its double mounting yoke.



Features.



IP RATING

With its compact size and an ip rating of 65 the Outshine T54 is perfect for indoor or outdoor installations for simple wireless solutions.



RGB

18 3W TRI-RGB LED's allow for incredible and vibrant colors.



SILENT OPERATION

Equipped with a silent operation perfect for indoor use.



outshine T54

The future is here

Specifications.

Source

LENS ANGLE:	16°
LED QUANTITY:	18 Tri Color LED's Red, Green, Blue
LED WATTS:	3W
LED LIFETIME:	40,000 to 80,000 hours

Control & Programming

DISPLAY:	DIGITAL
PROTOCOL:	DMX 512
DMX CHANNELS:	3 MODES OF OPERATION

Electrical & Connections

Power Connection:	NEMA 5-15
DMX Connectors:	NEUTRIK 3 PIN XLR NC3FXX-HD-D AND NC3MXX-HD-D IP67 CONNECTORS IN AND OUT.
Power Supply:	UNIVERSAL 100 - 240V 50/60HZ
Power Consumption:	WATTS: 57 AMPS: .75

Dimensions:

Fixture Size:	10.25" X 11.85" X 5.75"
Fixture Weight:	7 lb
Packaged Size:	13.5" X 11.25" X 7.5"
Packaged Weight:	8.75 lbs

MEGA **LITE**®

WWW.MEGA.LIGHTING

18662 Bandera Rd
Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279
info@mega.lighting

m e g a . l i g h t i n g