



DES CRIP TION



The Circa Scoop XS is a smaller addition to the Circa Scoop LED Series. This is a smaller next-level unit designed with different elements that can be used in multiple applications. It features a variety of technological components that add a one of a kind look to any concert, church, theater or club.

The Circa XS Scoop LED isn't like any other fixture, with a retro look and modern twist it is an upscale unit designed to liven up any setting it is used in. Whether placed on the floor, rigged or in the different Unit Mounting Frame accessories, this unique fixture can make any setting stand out from the rest.

It has the design and effects you've been looking for, let its multiple elements make you stand out!

Features.



MULTIPLE LED SECTIONS

The Circa XS Scoop LED has 84 RGB, 12 WW, and 45 WW + AMBER.



UNIQUE ACCESSORIES

The Circa XS Scoop LED has two unique accessories a four unit mounting frame and a seven unit mounting frame which can be used for unique lighting positions.



EFFECTS

The Circa XS Scoop LED has independent control of dimmer, macro, and strobe along with the availability to create variable shades of white.



Brighter than ever before.

Specifications.

Source

LED QUANTITY: SMD LFDS WATTS: 84 RGB 12 WARM WHITE 45 WARM WHITE + AMBER

.8W EACH

Optical Systems

140° (OUTER RING) LED ANGLE:

7000HZ SCAN RATE:

Control & Programming

CONTROL OPTIONS: DISPLAY CONTROL PROTOCOL:

DMX CHANNELS:

DMX 512 PROTOCOL

17 CHANNEL MODE

Electrical & Connections

Power Connection: **DMX Connectors**

POWERCON TYPE PANEL INPUT 3 & 5 PIN XLR IN AND OUT

PANEL MOUNTED.

Power Supply:

ELECTRONIC AUTO SWITCHING

110V-240V 50/60HZ.

Power Consumption:

Fuse:

WATTS: 93 AMPS: 1.30

5X20 F5AL250

28" X 14" X 26.5"

16.5" X 11" X 17"

Dimensions:

Fixture Size:

Fixture Weight:

Packaged Size:

Packaged Weight: 12 lbs

8 lbs



18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting