



DES CRIP TION



The Drama Work Light 3200K is a low profile work light solution for large and small theaters. Equipped with 324 White SMD LEDs, it can produce three different brightness settings (33%, 66% & 100%). The included barn doors allow the unit to be used for lighting wide and narrow spaces.

Designed for ease of use, the Drama WL 3200K has a rotatable knob for quick setup or installation.

Features.



VERSATILE

The compact design and 105° LED angle allows for the Drama WL 3200K to be used in setups or installations.



BARN DOORS

Barn doors are included with the unit to give you more capabilities in directing your light source.



BRIGHTNESS

Equipped with 324 SMD LEDs and a CRI of 91, this work light is very bright. Manually choose 33%, 66%, and 100% brightness to best suit your needs.

Specifications.

Source

LED QUANTITY: 324 WHITE SMD LEDS

LED WATTS: 0.30 LED SCAN RATE: 7000 Hz

Optical System

LUMEN: (@FULL) 9700

LENS ANGLE: 105°

BARN DOORS: INCLUDED

Effects

CRI: 91 CCT: 3322K

Control & Programming

CONTROL: BACK DIAL

Electrical & Connections

Power Connection: POWER CON TYPE IN & OUT ELECTRONIC AUTO SWITCHING

110V-240 50/60 HZ

POWER CONSUMPTION: WATTS: 100W AMPS: . 85A

FUSE: 5X20 F5AL250V

Rigging:

Mounting System: MOUNTING YOKE FOR STAND

Dimensions:

Fixture Size: 13.66" X 4" X 7.12"

Fixture Weight: 6.5lb

6 Unit Road Case Size: 30.5" X 23" X 20.66'

6 Unit Road Case Weight: 60.5 lb (empty)



18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting