

DES CRIP TION



The Light Pipe is a revolutionary structural pipe that brings a mesmerizing glow to your project! This innovative product combines functionality with an eye-catching aesthetic, the IP-65 ratingmakes it perfect for both indoor and outdoor applications. With a range of sizes (3FT, 4FT, 5FT,8FT, and 10FT), the Light Pipe offers versatility without compromising on simplicity.

Reimagineany structural design with the pipe that glows!

Features.



Anodized & Powder-Coated

This unit is constructed using high-quality metal anodized in black and then powder-coated inblack, ensuring durability and longevity. Its robust design guarantees reliable performance invarious environments.



Designed to deliver bright and vibrant lighting, the Light Pipe is equipped with the TetraColorsystem, a four color system using RGB and a Warm White. The 3000 Kelvin color temperature provides flexibility in creating a warm ambiance.



IP Rated

With an IP-65 rating, this unit can be installed indoors and/or outdoors to provide you theversatility you need.

Specifications.

Specifications

Fastening System:

Power Connection:

IP Rating: 65

LED Sapacing: .46' (11.9mm)
LED Wattage: 19W each

LED Type: SMD 5050 Red, Green, Blue and

Warm White.

Color Temperature on WW: 3000K Warm White

Housing: Aluminum
Lens Angle: 120°
Operating Temperature: 130 °F

Housing Connection: Anodized Black & Powder

Coated Black Conical System 5 Connector.

5-Pin XLR Seetronics: SCWM5-B-67 for Input SCWF5-B-67 for Output

Electrical Specifications

Voltage: DC 24V Constant Voltage

Power Consumption: 03FT = 15 Watts 04FT = 20 Watts 05FT = 25 Watts 08FT = 42 Watts 10FT = 53 Watts

Control Systems

Channel Modes: 3 Channel, 4 Channel, or 7 Channel Driver Compatibility: Light Pipe Driver 4

Light Pipe Driver 16

Size and Weight

Fixture Sizes & Weight:

	10 FEET
	8 FEET
	5 FEET
	4FEET
_	3 FEET

Weights: 03FT = 3 lbs 13 oz

04FT = 4 lbs 4 oz 05FT = 5 lbs 08FT = 7 lbs 7 oz 10FT = 9 lbs 12 oz



18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting

 $m \ e \ g \ a \ . \ l \ i \ g \ h \ t \ i \ n \ g$