



DES CRIP TION



The Tuff Baby Q-60 is an LED ETL listed lighting fixture that's weathered for outdoors and can still be used indoors. This compact IP 65 rated unit packs a punch with 4 quad RGBW 15-watt LEDs.

The addition of white LEDs allows for pastel hues that cannot be achieved with RGB LEDs alone. It has an 8° beam angle and also comes with a removable diffuser that creates a 30° diffused beam angle.

The Tuff Baby Q-60 has 3-pin XLR DMX connectors and a weather seal screw-type power connection. The fixture has a double mounting yoke for simple rigging or ground stacking. It is controlled via DMX 512, featuring 7 channels, and master-slave control options.

Features.



RGBW

The Tuff Baby Q60 is equipped with 4 quad RGBW 15-Watt LEDs. This enables bright, smooth color mixing; the addition of white LEDs also allow for pastel hues.



DMX CONTROL

Easily control with DMX 512. Double mounting yoke for simple rigging or ground stacking, ideal for touring or permanent installations.



IP RATED

Rated IP65 for both indoor and outdoor applications.

The new way of lighting



Specifications.

Source

5-WATT LEDS LED TYPE:

Optical System

LED QUANTITY: 25° LED ANGLE: 30° DIFFUSION BEAM ANGLE: 390 NANOMETRE:

Control & Programming

DISPLAY: PROTOCOL: DMX 512 DMX CHANNELS:

MODE 1: 3 CHANNELS

MODE 2: 6 CHANNELS

CONTROL OPTIONS:

DIGITAL

2 MODES OF OPERATION

DIMMER

DIMMER, STROBE

AUDIO TRIGGER, MASTER SLAVE

Electrical & Connections

Signal Connectors: WEATHER 3 PIN XLR

CONNECTORS IN AND OUT Power Connection: WEATHER SEAL SCREW TYPE

DMX Connectors: 3 PIN XLR CONNECTORS IN AND OUT

Power Supply: 110V-240V 50/60HZ Power Consumption: 38 WATTS 1.32 AMPS

ELECTRONIC AUTO SWITCHING Ballast:

Dimensions:

Fixture Size:

8.80" X 6.26" X 8.80"

Fixture Weight: 6.4 lb (2.27 kg)

Packaged Size: 10.25" X 10.25" X 11.5"

Packaged Weight: 7.4 lb (2.72 kg)



18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting