



DES CRIP TION

The MW1 is part of the diverse M-Series. It offers numerous features that can compete with larger fixtures. With a 9°-44° zoom range, the MW1 can project sharp beams or create a soft-edge wash effect while maintaining an even output. The seven 40W RGBW OSRAM LEDs produce a bright, powerful projection and each can be individually controlled for easy pixel mapping to create colorful eye candy effects.

The CTO channel creates truer whites and better tones for highlighting performers. The powerful stepper motors give the unit specific speed control of the 540° pan and 270° tilt. The MW1 can be used in numerous applications such as church, theater, mobile DJ and clubs to add alluring multi-colored effects.

Features.



EFFECTS

Individual pixel control allows users a wider range of effects. Featuring a 9° beam angle to project sharp beams and a 44° wash angle to create a soft-edge wash effect.



PAN & TILT

Powerful stepper motors allow the unit to create fast and slow movements with a 540° pan and 270° tilt.



BRIGTH

Equipped with a seven 40W RGBW OSRAM LEDs that can produce a bright, powerful and even projection.



Specifications.

Source:

Led Type: 7 X 40W OSRAM LEDS

Optical System:

Zoom: 9°-44°

Effects:

Color Selection: RGBW

Pixel Control: EACH LED - 7

Shutter: Electronic Shutter Strobe 18 FLASH/SECOND

Control & Programing:

Display: LCD DISPLAY
Protocol: DMX 512

Shutter: 39 CHANNEL MODE

Movement::

Pan: 540° 8/16 BIT 3 PHASE MOTORS
Tilt: 270° 8/16 BIT 3 PHASE MOTORS

Pan Tilt Lock: YES

Electrical & Connections:

Power Connection: POWER CON TYPE IN AND OUT DMX Connectors: 3 & 5 PIN XLR CONNECTORS

Power Supply: AUTO SWITCH 100V-240V 50/60HZ

Power Consumption: 376 WATTS | 3.24 AMPS

Ballast: ELECTRONIC

Dimensions:

Fixture Size: 12.75" X 9" X 15.5"

Fixture Weight: 19 lb (8.62 kg)

Packaged Size: 14.5" X 12" X 17.5"

Packaged Weight: 21 lb (9.53 kg)



18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting