



DES CRIP TION

The Tiltbot Trio, an IP rated, versatile LED fixture that can be used as a blinder, strobe and wash. It is equipped with 572 1W RGB LEDs and 144 white 8W LEDs it has a 190° tilt rotation.

This highly creative design can create a variety of powerful color combinations and with a 90 CRI on white it also produces a bright white output. The unit's hybrid design and features makes it ideal for a variety of applications.

Features.



EFFECTS

Equipped with 572 RGB 1-Watt LEDs and 144 White 8-Watt LEDs, the Tiltbot Trio can be used as a Blinder, Strobe, and Wash.



TILT

The Tiltbot Trio is capable of 190° Tilt Rotation Range, enhancing its special effect options.



lp64

Rated IP64, the versatile Tiltbot Trio can be used for indoor and outdoor applications.



Specifications.

Source:

Led Type: 572 RGB 1W AND 144 White 8W

Optical System:

Lens Angle: 120°

Effects:

Functions: BLINDER, STROBE & WASH

Cri: HIGH 90 ON WHITE

Segment Control: 3 SEGMENT CONTROLS

Strobe: BRIGHT MIDDLE WHITE STROBE

Macros: INTENSITY, SEGMENT & COLOR MACROS

Control & Programing:

Display: DIGITAL DISPLAY

Protocol: DMX 512

RDM: YES

DMX Channels: 6 MODES OF OPERATION

Operating Mode: STAND ALONE 255 STEP DIMMER

SETTING VIA DISPLAY AUTO

Movement::

Tilt: 190°

Electrical & Connections:

Power Connection: PANEL MOUNTED SEETRONIC IP RATED

POWER IN/OUT CONNECTION.

DMX Connectors: PANEL MOUNTED IP67 5-PIN

XLR CONNECTORS IN/OUT.

Power Supply: AUTO SWITCH 100V-240V 50/60HZ

Power Consumption: UNIVERSAL 100-240V 50/60 HZ

Dimensions:

Fixture Size: 22.12" X 13.12" X 5.5"

Fixture Weight: 23 lb (10.43 kg)

Packaged Size: 27.36" X 9" X 17.25"

Packaged Weight: 25 lb (11.34 kg)



18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting