



DES CRIP TION



Designed with a traditional vintage look, the DECO Vintage Scoop Q32 features a 32W RGBWW LED. This lightweight fixture is designed with a reflective gold finish that enhances the depth effect on the saturated colors. The 2475K warm white creates a nice warm sunset effect, ideal for theatrical and studio utilization.

Using the double mounting yoke, the unit can be grouped vertically with others to create a grid. This ladder mounting capability is practical and can simplify the ability to create elaborate set ups, allowing this fixture to be used in small to large productions. If desired it can also be placed on a stand and be used individually.

As part of the DECO series, this unit uses Voltage over Ethernet and it is designed to provide versatility with simplicity by being able to connect to a number of DECO Drivers for power and control.

Integrate your next project with the Deco Vintage Scoop Q32.

Features.



REVITALIZED LOOK

Designed with a traditional vintage look, the unit features a 32W RGBWW LED. This lightweight fixture is designed with a reflective gold finish that enhances the depth effect on the saturated colors.



TETRA COLOR

The vivid red, green and blue color hues this fixture projects can transform any room setting. The 2475K warm white can create nice soft tones that can add depth and soften the mood.



LADDER MOUN

Using the double mounting yoke, the unit can be grouped vertically with others to create a grid. This ladder mounting capability is practical and can simplify the ability to create elaborate set ups, allowing this fixture to be used in small to large productions. If desired it can also be placed on a stand and be used individually



Specifications.

Source

LED TYPE: LED QUANTITY: LED WATTAGE:

1 COB LED 200W 90 SMD LED 1.5W .25W EACH

Physical

HOUSING MATERIAL:

STEEL 7.2 74°

REFLECTOR ANGLE:

Effects
TETRA COLOR:

RED, GREEN, BLUE, WARM WHITE 2475K ON WARM WHITE

COLOR TEMP:

ina

Control & Programming

DRIVER COMPATIBILITY:

THREE UNITS PER OUTPUT PORT

OF DECO DRIVER.

CONTROL: DMX CHANNELS: DMX 512 (WHEN USING DECO DRIVER)

2 MODES OF OPERATION

Electrical & Connections

Total Max Power: Power Imput:

32W 24V DC

Power Connection
Drive Method:

Y CABLE MOUNTED RJ45 IN & OUT

Lumen Output:

CONSTANT VOLTAGE 1107LM (@FULL)

Rigging:

Installation System:

UNIVERSAL MOUNTING CONNECTS

TO ELECTRICAL BOX

Dimensions:

Fixture Size:

22.75" X 14.5" X 25.98"

Fixture Weight: 13 IB

Packaged Size: 28" X 24" X 16"

Packaged Weight: 19 IB



18662 Bandera Rd Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279 info@mega.lighting