


Obra Cyc N380

MEGA^{LITE}



DESCRIPTION



The Obra CYC N380 is a CYC unit that features 120 3W LEDs that can be used to produce a bright and colorful wash effect. Featuring the unique Obra nine-color mix of Deep Red, Red, Fire Red, Green, Aqua, Lime, Blue, Indigo and Amber the Cyc can be used to create an assortment of boundless color combinations.

Designed with a dual mounting system, it is shipped with two track mounted clamp mounts that allow the Obra Cyc to be rigged using clamps or mounted directly onto any ceiling structure. It can be used to project its vibrant colors and beautiful color mixing transitions onto scrim, painted or translucent drops and other theatrical designs from multiple angles.

The mirror reflector further enhances the even dispersion and quality of the light output. The Obra CYC N380 can be used to selectively highlight wide and narrow areas. Expand your creativity with the Obra Cyc N380.

Features.



COLORS

The unit features a Deep Red, Red, Fire Red, Green, Aqua, Lime, Blue, Indigo and Amber colors. Create boundless color combinations!



MOUNTING

Designed with a unique mounting system, it is shipped with two clamp mounts that allow the Obra Cyc to be rigged using clamps or mounted directly onto any ceiling structure.



MIRROR REFLECTOR

The mirror reflector further enhances the evenly disperse and quality of the light output. The Obra CYC N380 can be used to selectively highlight wide and narrow areas.

A stage with a white backdrop and a spotlight illuminating the text "Lights, camera, attraction!". The stage is dark, and the spotlight is the only source of light, creating a bright circle on the backdrop. The text is centered in the spotlight.

Lights, camera, attraction!

Specifications.

Source

LED TYPE: 120 SINGLE COLOR LEDS
LED QUANTITY: 120 TOTAL LEDS
LED WATTAGE: 3W EACH

Optical System

Nominal beam angle: 50°

Effects

COLORS: DEEP RED, RED, FIRE RED, GREEN,
AQUA, LIME, BLUE, INDIGO & AMBER.
CCT: 8108K @ FULL

Control & Programming

DISPLAY: DIGITAL
PROTOCOL: DMX 512
RDM: YES
DMX CHANNELS: 4 MODES OF OPERATION

Electrical & Connections

Signal Connectors: 5 PIN XLR IN AND OUT PANEL MOUNTED
Power Connectors: PANEL MOUNT POWER CON TYPE IN/OUT CONNECTION
(NEMA 5-15 TO BLUE POWER MALE CABLE INCLUDED)
Power Supply: ELECTRONIC UNIVERSAL 100-220VAC 50/60HZ
Power Consumption: UNIVERSAL 100-240V 50/60 HZ
Watts: 312W
Current: 2.6A
PF: 0.99

Rigging:

Installation System: CLAMP FIXTURE TRACK MOUNTS

Dimensions:

Fixture Size: 25.6" X 6.5" X 14"
Fixture Weight: 27.5 lb (12.5 kg)
Packaged Size: 28.5" X 9.5" X 17"
Packaged Weight: 30.5 lb (13.9 kg)

MEGALITE®

WWW.MEGA.LIGHTING

18662 Bandera Rd
Helotes, TX 78023

Phone (210)684-2600 / Fax (210)855-6279
info@mega.lighting

m e g a . l i g h t i n g